



53 Ubi Avenue 1 #03-42  
 Paya Ubi Industrial Park  
 Singapore 408934  
 Tel: 6749 3003 Fax: 6742 3003



加坡水处理协会  
 Ordinary Member  
 www.hitechaem.com  
 contact@hitechaem.com  
 ROC No: 199205407G  
 GST No.M2-0109882-3



**WA660**  
 Wall Mount  
 Hot & Cold Water  
 Cooler  
 挂墙冰热水饮水机



Made in Taiwan  
 台湾制造

產品並榮獲經濟部標準檢驗局  
 正字標記、ISO9001品保認證



<b>Brand / Model</b>	<b>ESPERO™ WA-660 (Hot &amp; Cold)</b>
<b>Type</b>	Wall mount (Hot & Cold)
<b>External Filter</b>	<b>Hy-Q</b> 1-Stage Filtration System
<b>Casing</b>	304 Stainless Steel (high grade stainless, satin finish)
<b>Dimension / Weight</b>	D31 x W43 x H 60 / approx 21kg
<b>Cooling Capacity</b>	approx 15 litres / hr (cold) approx 10 litres / hr (hot)
<b>Water</b>	<b>Cold</b> - (4°C - 8°C)
<b>Temperature</b>	<b>Hot</b> - (30°C - 100°C)
<b>Supply Inlet</b>	1/2 Inch diameter
<b>Drainage Outlet</b>	1 Inch diameter
<b>Installation</b>	1/2 Inch PVC / G.I. piping
<b>Power Supply</b>	220 - 240V / 50Hz
<b>:: Heater ::</b>	
<b>Power Consumption</b>	750 Watts
<b>Temp. Control</b>	Adjustable thermostat (c/w overload relay)
<b>Accuracy</b>	Auto-reset (plus / minus 5°C)
<b>Facility</b>	24 hour instantaneous
<b>Operation</b>	Lever controlled filler pipe
<b>:: Chiller ::</b>	
<b>Condenser</b>	Fin & copper tubing
<b>Compressor</b>	Hermetic Compressor
<b>Refrigerant</b>	134a
<b>Power Consumption</b>	175 Watts
<b>Temp. Control</b>	Adjustable thermostat (c/w overload relay)
<b>Facility</b>	24 hour instantaneous
<b>Operation</b>	Lever controlled filler pipe

Specifications & designs subject to changes without notice.

### Hy-Q 1 Stage Filtration

#### Sediment filter 沉积物

Sediment filter removes dirt, other minute impurities, particles that are 15 times of a grain of sand and various foreign bodies from the service water pipe such as bits of rust.



Dimension: 12" x 2½"  
 Maximum Flow: 1.0 GPM  
 Maximum Pressure: 125 PSI  
 Maximum Temperature: 120° F  
 Service Life: 2500 Gallons (9375 litres)  
 Origin: **Made In Korea**



torayvino. RUHENS





53 Ubi Avenue 1 #03-42  
Paya Ubi Industrial Park  
Singapore 408934  
Tel: 6749 3003 Fax: 6742 3003



加坡水处理协会  
Ordinary Member  
www.hitechaem.com  
contact@hitechaem.com  
ROC No: 199205407G  
GST No.M2-0109882-3



## Stainless Steel CUP DISPENSER

Dimensions: 10"(25.5cm) x H16"(40.5cm)

Diameter: 2.8" (7cm)

- Dispenser for disposal cups
- Stainless Steel material
- Made in Taiwan



torayvino. RUHENS





53 Ubi Avenue 1 #03-42  
Paya Ubi Industrial Park  
Singapore 408934  
Tel: 6749 3003 Fax: 6742 3003



加坡水处理协会  
Ordinary Member  
www.hitechaem.com  
contact@hitechaem.com  
ROC No: 199205407G  
GST No.M2-0109882-3

## Hy-Q™ Water Filtration System 물 여과 체계

Hy-Q Water Filtration System works either on a single-stage or on Multiple-stages.

### Benefits of Hy-Q Filtration System

- No installation and replacement of External Filter Housing
- No need to install Pressure Regulator
- No Daily or weekly cleaning of cartridge
- Filters recommended for replacement between 3 to 6 months, depending on usage and environment.
- Filters should be changed when the flow becomes small, or unpleasant water taste or there is odour in the water or there are sediments in the water



ISO 9001  
CERTIFICATE



WQA  
(Water Quality  
Association)

### 4 Stage Filtration (Optional)

4개의 단계 물 여과 체계

**Sediment filter**  
**Pre-Carbon filter**  
**Post-Carbon filter**  
**Silver-Post Carbon filter**

#### **1st Stage Sediment Filter**

Sediment filter removes dirt, other minute impurities, particles that are 15 times of a grain of sand and various foreign bodies from the service water pipe such as bits of rust.

#### **2nd Stage Pre-Activated Carbon**

Activated Carbon filter absorbs / reduces excessive chlorine, pesticides, herbicides and other harmful organic chemicals from the water to enhance safety and freshness in water

#### **3rd Stage Post-Activated Carbon**

Dual Actions! Activated Carbon filter absorbs / reduces chlorine, pesticides, herbicides and other harmful organic chemicals

#### **4th Stage Silver-Post-Carbon Filter**

It is impregnated with silver for bacteria inhibition within the filter. Silver Post Carbon is a powerful bactericide. It removes volatile organic compounds (VOCs) and other chemicals. It deodorizes, improve colour and the taste of water.

**Caution:** Use only with municipal –treated or microbiologically treated potable water. Do not use with water of unknown quality.



torayvino. RUHENS

