



53 Ubi Avenue 1 #03-42  
 Paya Ubi Industrial Park  
 Singapore 408934  
 Tel: 6749 3003 Fax: 6742 3003



www.hitechaem.com  
 contact@hitechaem.com

ROC No: 199205407G

GST No.M2-0109882-3



**WA800**  
 Floor Stand  
 Cold Water Cooler  
 站立冰水饮水机



**Made in Taiwan**  
 台湾制造

產品並榮獲經濟部標準檢驗局  
 正字標記、ISO9001品保認證



<b>Brand / Model</b>	<b>ESPERO™ WA-800 (Cold)</b>
<b>Type</b>	Wall mount (cold)
<b>Filter (Built-in)</b>	<b>Hy-Q</b> Single-Stage Water Filtration System
<b>Casing</b>	304 Stainless Steel (high grade stainless, satin finish)
<b>Dimension / Weight</b>	D310 x W430 x H1060 cm / 25kg
<b>Cooling Capacity</b>	20 litres / hr
<b>Water</b>	Cold - (4°C - 8°C)
<b>Supply Inlet</b>	1/2 Inch diameter
<b>Drainage Outlet</b>	1 Inch diameter
<b>Installation</b>	1/2 Inch PVC / G.I. piping
<b>Power Supply</b>	220 - 240V / 50Hz / 60Hz
<b>:: Chiller ::</b>	
<b>Condenser</b>	Fin & copper tubing
<b>Compressor</b>	Reciprocating
<b>Refrigerant</b>	R-134a
<b>Power Consumption</b>	175 Watts
<b>Temp. Control</b>	Adjustable thermostat (c/w overload relay)
<b>Facility</b>	24 hour instantaneous
<b>Operation</b>	Lever controlled filler pipe

\*Specifications & designs subject to changes without notice.

### Hy-Q™ 1 Stage Filtration

#### Sediment filter 沉积物

Sediment filter removes dirt, other minute impurities, particles that are 15 times of a grain of sand and various foreign bodies from the service water pipe such as bits of rust.



Dimension: 12" x 2 1/2"  
 Maximum Flow: 1.0 GPM  
 Maximum Pressure: 125 PSI  
 Maximum Temperature: 120° F  
 Service Life: 2500 Gallons (9375 litres)  
 Origin: **Made In Korea**





53 Ubi Avenue 1 #03-42  
Paya Ubi Industrial Park  
Singapore 408934  
Tel: 6749 3003 Fax: 6742 3003



www.hitechaem.com  
contact@hitechaem.com  
ROC No: 199205407G  
GST No.M2-0109882-3

**OPTIONAL ITEM**  
(S\$50 with installation of unit)  
Cash & Carry S\$60  
Supply & install S\$100

## Stainless Steel CUP DISPENSER

Dimensions: 10"(25.5cm) x H16"(40.5cm)

Diameter: 2.8" (7cm)

- Dispenser for disposal cups
- Stainless Steel material
- Made in Taiwan



torayvino

RUHENS clover  
거여목

ESPERO





53 Ubi Avenue 1 #03-42  
 Paya Ubi Industrial Park  
 Singapore 408934  
 Tel: 6749 3003 Fax: 6742 3003



www.hitechaem.com  
 contact@hitechaem.com  
 ROC No: 199205407G  
 GST No.M2-0109882-3

## Hy-Q™ Water Filtration System 물 여과 체계

Hy-Q Water Filtration System works either on a single-stage or on Multiple-stages.

### Benefits of Hy-Q™ Filtration System

- No installation and replacement of External Filter Housing
- No need to install Pressure Regulator
- No daily or weekly cleaning of cartridge
- Filters recommended for replacement between 4 to 6 months, depending on usage and environment
- Filters should be changed when the flow becomes small, or unpleasant water taste or there is odour in the water or there are sediments in the water



ISO 9001  
 CERTIFICATE



WQA  
 (Water Quality  
 Association)

### 4 Stage Filtration (Optional)

4개의 단계 물 여과 체계

- Sediment filter**
- Pre-Carbon filter**
- Post-Carbon filter**
- Silver-Post Carbon filter**

#### **1st Stage Sediment Filter**

Sediment filter removes dirt, other minute impurities, particles that are 15 times of a grain of sand and various foreign bodies from the service water pipe such as bits of rust.

#### **2nd Stage Pre-Activated Carbon**

Activated Carbon filter absorbs / reduces excessive chlorine, pesticides, herbicides and other harmful organic chemicals from the water to enhance safety and freshness in water

#### **3rd Stage Post-Activated Carbon**

Dual Actions! Activated Carbon filter absorbs / reduces chlorine, pesticides, herbicides and other harmful organic chemicals

#### **4th Stage Silver-Post-Carbon Filter**

It is impregnated with silver for bacteria inhibition within the filter. Silver Post Carbon is a powerful bactericide. It removes volatile organic compounds (VOCs) and other chemicals. It deodorizes, improve colour and the taste of water.

**Caution:** Use only with municipal –treated or microbiologically treated potable water. Do not use with water of unknown quality.



Disclaimer: The product information is meant for general information purposes only and shall not be construed as implying any warranty relating to accuracy of the information, fitness for purpose or performance. Hi-Tech (AEM) Pte Ltd hereby disclaims all liability with respect to any errors or omissions in the information.