

RUHENS



Song Joong Ki, the face of RUHENS



53 Ubi Avenue 1 #03-42  
 Paya Ubi Industrial Park  
 Singapore 408934  
 Tel: 6749 3003 Fax: 6742 3003  
 www.hitechaem.com  
 contact@hitechaem.com  
 ROC No: 199205407G  
 GST No.M2-0109882-3




## Energy Saving Feature

## RUHENS WHP-850



RUHENS	Product Specifications
Model WHP-850	Floor Stand Hot & Cold Water Purifier
Dimension (mm)	W260 x D350 x H1100 / Weight: 28kg
Color	White with Black
Capacity for Hot & Cold Water	<b>Cold</b> 4.5 L/ hr (4°C - 12°C) <b>Hot</b> 7.5L/hr (85°C - 90°C)
Hot /Cold Water Tank	Hygienic Stainless Steel SS 304
Wattage	<b>Hot</b> 300W; <b>Cold</b> 90W
Power Supply	AC 240V / 50Hz / 13amp
ECO Sensor	Automatically power OFF the heating system when light is dimmed OFF.
Filtration System (built-in)	Sediment, Pre-Carbon, Post-Carbon & Silver Post Carbon Filters



### ECO MODE SYSTEM

Automatically power off the heating system at night by the photodetector.



### HIDDEN TYPE REPLACEABLE HYGIENE GUARD

Protects the faucet from bacterial growth.  
 Can be separated, cleaned and replaced.



### HOT WATER SAFETY DEVICE

Safety device can protect your children from unexpected accident with hot water.

### Energy Saving Feature

The Eco Sensor can sense the light-intensity around the Ruhens dispenser. When the surrounding is dim, it will automatically switch off the heater and vice-versa.

This function helps to reduce unnecessary power consumption. However there is also an option to disable this feature for continuous heating.

\*Specifications are subject to change without notice

Made in Korea

한국에서 만드는  
 韩国制造



torayvino.



RUHENS clover  
 거여목



RUHENS



53 Ubi Avenue 1 #03-42  
Paya Ubi Industrial Park  
Singapore 408934  
Tel: 6749 3003 Fax: 6742 3003  
www.hitechaem.com  
contact@hitechaem.com  
ROC No: 199205407G  
GST No.M2-0109882-3



Song Joong Ki, the face of RUHENS

## Hy-Q™ Water Filtration System (Built-in 물 4-Stage (Built-In) Water Purification System)

### Economical and Eco-friendly

Preserve elements & minerals in the water during filtration  
No wastage of water; Low energy consumption  
Periodic filter replacement is required subject to usage, piping infrastructure and etc  
实惠又环保的韩国净水过滤系统。  
过滤时保留固有的矿物质微量元素。  
无废水，低能源。  
必须更换水滤芯，时间不一。  
当水流量变得小、有异味、污染物或者不良气味、是应该更换滤芯的时候。

### 4 Stage Filtration

4개의 단계 물 여과 체계

**Sediment filter**  
**Pre-Carbon filter**  
**Post-Carbon filter**  
**Silver-Post Carbon filter**



Dimension: 12" x 2½"  
Maximum Flow: 1.0 GPM  
Maximum Pressure: 125 PSI  
Maximum Temperature: 120° F  
Service Life: 2500 Gallons (9375 litres)  
Origin: **Made In Korea**

#### 1st Stage Sediment Filter 沉积物滤芯

Sediment filter removes dirt, other minute impurities, particles that are 15 times of a grain of sand and various foreign bodies that come from the services water pipe such as bits of rust.  
去除水中之污染物、化学物质、重金属。

#### 2nd Stage Pre-Activated Carbon 活性碳

Activated Carbon filter absorbs / reduces chlorine, pesticides, herbicides and other harmful organic chemicals from the water to enhance safety and freshness in drinking.  
是利用有较强吸附力之含碳物质，以吸附水中之污染物及不良气味。一般分为木炭、粒状活性碳、粉状活性碳和压裂碳块、加银活性碳等。

#### 3rd Stage Post-Activated Carbon 活性碳

Dual Actions! Activated Carbon filter absorbs / reduces chlorine, pesticides, herbicides and other harmful organic chemicals  
其製造来源为椰子壳、烟煤、纸浆、泥煤等，经活化处理后，内部会产生很多缝隙，其吸附力量约可达到每磅吸附125英亩面积之功效。因为水中大部份有机污染物都不会立即溶解在水中，它们对碳之吸引力大于水，因此很容易发生作用。

#### 4th Stage Silver-Post-Carbon Filter 银活性碳

本品采用优质载银活性炭。银活性碳为强化原先使用之活性碳效果，有抑制细菌繁殖生长之功能。  
It is impregnated with silver for bacteria inhibition within the filter. Silver is a powerful bactericide.  
Remove volatile organic compounds (VOCs) and chemicals.  
Deodorize, improve colour and taste of water. This high efficiency it also helps to have a real water taste.

RUHENS



**Song Joong Ki, the face of RUHENS**



53 Ubi Avenue 1 #03-42  
 Paya Ubi Industrial Park  
 Singapore 408934  
 Tel: 6749 3003 Fax: 6742 3003  
 www.hitechaem.com  
 contact@hitechaem.com  
 ROC No: 199205407G  
 GST No.M2-0109882-3



Use only with municipally –treated or microbiologically sole water. Do not use with water of unknown quality.  
 \*May vary depending on local water quality and water flow rate.  
 \*All prices subject to prevailing GST rates



## CUP DISPENSER

컵 분배기

**Dimensions :** 3.3"(84mm) x 13.8"(350mm)h

**Rim diameter (flat) :** 2.5"(65mm) - 3"(76.2mm)

**Dissected from main body**  
**Saves volume for carry**

- Home and office use
- Easy installation / removal / refill
- 6 to 7oz Disposal cups
- Cup's diameter 7 to 7.5cm
- Polypropylene material
- Patented

**Made in Korea** 한국에서 만드는



torayvino.



RUHENS clover  
 거여목

